

Management Presentation

Nasdaq Ticker: CPST

"Change is the law of life. And those who look only to the past or the present are certain to miss the future."

Safe Harbor



This presentation contains "forward-looking statements" regarding future events or financial performance of Capstone Turbine Corporation (Capstone), within the meaning of the Safe Harbor provisions of the Private Securities Litigation Reform Act of 1995.

Forward-looking statements may be identified by words such as "believe," "expect," "objective," "intend," "targeted," "plan" and similar phrases.

These forward-looking statements are subject to numerous assumptions, risks and uncertainties described in Capstone's Annual Report on Form 10-K, Quarterly Reports on Form 10-Q and other periodic filings with the Securities and Exchange Commission that may cause Capstone's actual results to be materially different from any future results expressed or implied in such statements. Because of the risks and uncertainties, Capstone cautions you not to place undue reliance on these statements, which speak only as of the date of this presentation. We undertake no obligation, and specifically disclaim any obligation, to release any revision to any forward-looking statements to reflect events or circumstances after the date of this presentation or to reflect the occurrence of unanticipated events.

The Imminent Change in Energy



MICROTURBINES WELL POSITIONED FOR DISTRIBUTED GENERATION MEGATREND



additions will

grow to 200 GW

in 2020 from 150

GW currently



Global electricity consumption will rise to 26.9 terawatt-hours (Twh) by 2020



Microgrids account for 27 GW of current distributed generation



\$205 billion will be invested in global distributed power generation annually by 2020 - 42% of total power additions



electricity
consumption will
be in emerging
markets
by 2020

Source: General Electric - Rise of Distributed Power

Microturbines are the Future








CHP EFFICIENCY

Overall **ELECTRIC** of 33%






Saving Money & The Environment



\$194 MILLION

FY18 FINANCIAL SAVINGS





314,000 Tons in Carbon Savings





APPROXIMATELY 369,800

acres of U.S. forests in one year

OVER 67,000

passenger vehicles removed for one year

Microturbine Technology Advantages








	Features Benefits		
*	Inverter based with one moving part	Factory guaranteed low operating costs	
	Patented air bearing technology	No lubricants or coolants needed - unmanned projects	
<	Stand alone or grid connect	Supports aging utility infrastructure	
	Fuel availability	Operates on gaseous, renewable and liquid fuels	
பு	High power density	Compact footprint, small modular design	
141	Low emissions	No exhaust aftertreatment	
63	Free clean waste heat	Thermal energy for cogeneration/trigeneration	
?	Remote monitoring	View performance and diagnostics 24/7	
111	Scalable to match demand	Multiple applications and industries	

FY2018 vs. FY2017 Revenue, Gross Margin & Adjusted EBITDA









Q3FY2018 vs. New Target Business Model



(In millions)		Q3 FY2018 Results	Management's New Target Model	Capstone Initiatives and Management Strategies
Microturbi	ne Product	\$14.6	\$25.0	Crude Oil Strengthening, USD Weakening, Hurricane Activity
Accessories, Parts	s & Service	\$8.2	\$15.0	Higher FPP and Accessory Revenue on CHP Market Growth
Tota	I Revenue	\$22.8	\$40.0	New Signature Series Products and New Bundled Solution program
Cost of	Good Sold	\$17.8	\$26.3	Lower Signature Series Cost – Higher Purchase Volumes
Gro	ss Margin	\$5.0	\$13.7	Growing Product Sales & FPP - Lower Warranty and FPP COGS
Gross Marg	gin Percent	22%	34%	Aftermarket Business Margin Expanding from 42% to 50%
Total Operating	Expenses	\$5.0	\$6.0	OpEx up on Increased Marketing Spend and Sales Commissions
Adjusted	d EBITDA*	\$0.4	\$7.7	Minimal Tax Impact with Approx. \$678M in Federal NOLs

^{*}See Appendix, Slide 37

FY2019 Business Catalysts












OIL, GAS & OTHER NATURAL RESOURCES


- Capstone microturbines are currently used in all phases of oil production including upstream, midstream, and downstream operations in both onshore and offshore applications.
- Broad Suite of Applications:
 - Oil & Gas (onshore/offshore)
 - Land Rigs
 - Water Conversion
 - Gas Compression
- Recent Oil & Gas Customers:
 - EQT Corporation
 - California Resource Corp
 - Williams Companies
 - Anadarko Petroleum
 - Gazprom
 - Occidental Petroleum
 - Pioneer Natural Resources
 - Pacific Coast Resources
 - Shell














MICROGRIDS

- A microgrid is a distribution network that incorporates a variety of distributed energy resources that can be optimized and aggregated into a single system that can balance loads and generation with or without energy storage and is capable of islanding whether connected or not connected to a traditional utility power grid.
- Microgrid Features:
 - Multiple generation resources and loads
 - Clearly defined electrical boundaries to a utility grid
 - Able to operate in island mode
 - Controllable as a single entity
- Recent Microgrid Installations:
 - Goldwind, China
 - Sierra Nevada Brewery
 - Open Access Technology Int.
 - Plaza Extra Supermarket
 - Philadelphia Navy Yard
 - Gordon Bubolz Nature Center
 - Mali, Africa









Cumulative Megawatts Shipped





Technology Adoption Timelines






30+ HIGHER COST TECHNOLOGIES



Capstone Absorption Strategy



Aftermarket Accessories, Parts and Service (AP&S)/OPEX Absorption Timeline vs. Net Loss Timeline



*See Appendix, Slide 37

Q1 FY2019 Business Highlights



- Product revenue year-over-year increased 8%, highest first quarter year-over-year increase in three years, powered by increases in the Oil & Gas market vertical
- Accessories, parts and service revenue up 15% year-over-year
- > Total revenue for the quarter increased 10% year-over-year
- 1.2:1 book-to-bill ratio representing new product orders from
 11 different countries
- Total of \$32.5 million in gross product orders for the last six-months compared to \$16.4 million in the preceding six months representing an increase of 98% period-over-period!
- Total cash increased \$0.2 million despite a pay down of accrued expenses and unplanned supplier prepayments during the quarter

FY2019 Strategic Business Goals



- 1. Improve quarterly working capital, cash flow and balance sheet
 - ➤ New "Bundled Solutions" program
 - Continued "War on Costs" and increased distributor marketing effort
 - Increased margins in aftermarket accessories, parts and service business
 - Continue to collect the fully reserved BPC receivable
- 2. Double digit revenue growth through accelerating global product sales
 - > Increased marketing and customer acquisition with new Distributor Support System initiative
- 3. Diversify the company into new market verticals and new geographies
 - Product modification for Microgrid and Marine markets
 - Continue focus on Africa, Latin America and Middle East
 - Continue to rebuild Russia and CIS Region distributor business
- 4. Increased Service/OpEx absorption percentage driving towards targeted 100% absorption (*See Appendix, Slide 12)
 - Increased remanufacturing of spare parts in UK and USA
 - Higher FPP attachment rates in oil and gas vertical
 - Sell air bearings into adjacent products and technologies (*See Appendix, Slide 13)



1. Cash and Working Capital



- Improve quarterly working capital, cash flow and balance sheet
 - ➤ New "Bundled Solutions" program
 - Continued "War on Costs" and increased distributor marketing effort
 - Increased margins in aftermarket accessories, parts and service business
 - Continue to collect the fully reserved BPC receivable
- Cash increased \$0.2 million during the first quarter of fiscal 2019 to \$19.6 million compared to cash, cash equivalents, and restricted cash of \$19.4 million and \$19.1 million as of March 31, 2018 and June 30, 2017, respectively.
- During the quarter the Company leveraged its expanded asset-based credit facility and its at-the-market equity offering to cover its expected loss from operations, including cash payments of approximately \$3.2 million for an unexpected supplier prepayment obligation and for its one-time Leadership Incentive Bonus Program.

2. Double Digit Revenue Growth



- Double digit revenue growth through accelerating product sales
 - > Increased marketing and customer acquisition with new Distributor Support System initiative
- Revenue for the first quarter increased 10% to \$21.2 compared to \$19.2 million in the same period last year.
- Product revenue increased 8% during the quarter to \$13.6 million, the highest year-over-year increase in product revenue in three years.
- New gross product orders of \$16 million during the quarter generating a 1.2:1 book-to-bill ratio.
- Capstone booked \$32.5 million in gross product orders for the six-month period ended June 30, 2018, compared to \$16.4 million in the preceding six-month period ended December 31, 2017, an increase of 98% period-over-period.



3. Diversify Market Vertical & Geographies



- Diversify the company into new market verticals and new geographies
 - Product modification for Microgrid and Marine markets
 - Continue focus on Africa, Latin America and Middle East
 - Continue to rebuild Russia and CIS Region distributor business
- 1.2:1 book-to-bill ratio representing new product orders from 11 different countries and 13 distributors



4. Increase Service Absorption



- Increased Service/OpEx absorption percentage driving towards targeted 100% absorption (*See Slide 18)
 - Increased remanufacturing of spare parts in UK and USA
 - Higher FPP attachment rates in oil and gas vertical
 - > Sell air bearings into adjacent products and technologies
- Q1FY2019 experienced higher than normal scheduled and unscheduled maintenance activities resulting in an elevated cost of goods and a lower quarterly gross margin
- Impacts on our aftermarket business are short-term in nature and will strengthen

and normalize over the second half of fiscal 2019

 During the quarter we continued our strategic focus to increase the remanufacturing of spare parts in the US and the UK and increase FPP attachment rates in the oil and gas market





APPENDIX



Q1FY2019 vs. Q1FY2018 Financial Results



(In millions, except per share data)	Q1FY19	Q1FY18
Microturbine Product	\$13.6	\$12.6
Accessories, Parts & Service	\$7.6	\$6.6
Total Revenue	\$21.2	\$19.2
Gross Margin	\$1.8	\$2.2
Gross Margin Percent	9%	11%
R&D Expenses	\$0.9	\$1.1
SG&A Expenses	\$5.7	\$5.0
Total Operating Expenses	\$6.6	\$6.1
Net Loss	\$(4.9)	\$(4.1)
Adjusted EBITDA*	\$(3.9)	\$(3.4)
Basic Net Loss Per Share	\$(0.08)	\$(0.10)
Adjusted EBITDA* Basic Net Earnings (Loss) Per Share	\$(0.06)	\$(0.08)

^{*}See Appendix, Slide 37

Q1 FY19/Q4 FY18 Balance Sheet



(In millions)	June 30, 2018	March 31, 2018
Cash & Cash Equivalents, Including Restricted Cash	\$19.6	\$19.4
Cash (used in) Provided by Operating Activities (*Approx. \$3.2 million for an unexpected supplier prepayment obligation and for one-time Leadership Incentive Bonus Program).	\$(6.0)*	\$0.5
Accounts Receivable, Net of Allowances	\$15.9	\$16.0
Total Inventories	\$17.2	\$16.7
Accounts Payable & Accrued Expenses	\$13.6	\$13.5


New Air Bearing Business



- Approach Offer existing Capstone air bearings plus engineering support to qualified non-competitive companies for integration into their products
- Application Using existing Capstone air bearings requires customer product redesign and qualification
- Interested Companies Include:
 - ✓ Solar energy turbine company
 - ✓ Motor company, turbocharger manufacturer
 - ✓ ORC vapor compression company
 - ✓ Auxiliary power unit manufacturer
 - ✓ Fuel cell air compressor company
 - ✓ Air compressor
 - ✓ Turbine expander
 - ✓ Food processing blower
 - ✓ Downhole pump



- √ Feasibility discussions started 2009
- ✓ First development parts order 2013
- ✓ Second development parts order 2015
- ✓ Production order for bearing sets 2018



Capstone Energy Finance JV Initiative



- Now Offering PPA, Lease and Rentals
- Executed First Agreement –
 September 18, 2017
- In Negotiation for Several Projects
- Projects Cover Wide Variety of Markets and Applications
- Pipeline over \$60M (product only)
- Actively Working with Sky Capital (subsidiary of Sky Solar Group) to Provide Up to \$150M in Project Financing
- Partnering with Additional Banks to Broaden Competitive Lease Rates







Leading U.S. Electricity Source is Natural Gas (Also Fastest Growing)











Source: https://www.eia.gov/outlooks/steo/data.php?type=figures




Source: http://thedataface.com/2017/11/economy/energy-sources

Tightening Emissions Regulations







(NOx + HC) / CO / PM (Oxides of Nitrogen + Hydrocarbons) / Carbon Monoxide / Particulate Matter (g/kW-hr)

NOx / HC / CO / PM Oxides of Nitrogen / Hydrocarbons / Carbon Monoxide / Particulate Matter (g/kW-hr)

* Combines regulatory powerbands with same emission levels

Source: http://cumminsengines.com/emission-regulations

Examples of New York Metro Area Installations





Energy Efficiency
Residential



Energy Efficiency

Healthcare



Energy Efficiency



Energy Efficiency
Hospitality



Renewable Energy
Waste Water Treatment



Energy Efficiency Residential



Residential Complex Bronx, New York

Natural gas-fueled combined heat and power (CHP) microturbine provides primary power and hot water to the multi-family residential complex.

> (1) C1000 | DM* 1MW Electricity

Projected ROI: 3.5 yrs

Commissioned: 9/16




Residential Healthcare Wyckoff, New Jersey

Assisted living facility with 292-bed capacity. Four natural gas-fueled microturbines provide combined cooling, heat and power (CCHP) to residents.

> (4) C65 | DM* Absorption Chiller 260kW Electricity

Commissioned: 8/08



2011 AEE Energy Project winner. Exhaust heat from two microturbines is used to provide 40 tons of chilling year round.

(2) C65 ICHP | GC* 40-Ton Absorption Chiller 130kW Electricity Projected ROI: 4 yrs

Commissioned: 12/05



Luxury Hotel New York, New York

Twelve integrated combined heat and power (ICHP) microturbine array supplies electricity and hot water to the building and also feeds an absorption chiller.

(12) C65 ICHP 200-Ton York Absorption Chiller 780kW Electricity Projected ROI: 4.5 yrs

Commissioned: 10/13



WWTP New York, New York

Two microturbines fueled by digester gas and natural gas blend provide power and heat to the waste water treatment plant (WWTP).

> (2) C65 ICHP 130kW Electricity

Projected ROI: 6 yrs

Commissioned: 9/14



Residential Complex New York, New York

Four microturbines provide combined heat and power (CHP) to multi-family high rise building. Also feeds into an integrated heating loop for winter months.

(4) C65 ICHP | GC* 260kW Electricity

Projected ROI: 4 yrs

Commissioned: 12/10

^{*}DM - Dual Mode System (Emergency backup power feature)

^{*}GC - Grid Connect System

Case Studies can be found on www.capstoneturbine.com/case-studies
Projected ROI estimates are at time of sale

Examples of California Area Installations





Energy Efficiency Food Processing



Energy Efficiency
Healthcare



Energy Efficiency

Manufacturing



Oil & Gas
Offshore O&G



Oil & Gas
Onshore O&G



Critical Power
Utility



Brewing Company Northern California

Brewing facility uses two C1000 microturbines to complement their existing on-site electrical generation and operate as a microgrid.

> (2) C1000 | Microgrid 2MW Electricity

Projected ROI: 3.4 yrs

Commissioned: 3/15



Los Angeles Hospital Southern California

A natural gas-fueled microturbine is used to offset electric base load and provides chilled water, boosting the facility's overall efficiency.

> (1) C1000 1MW Electricity

Projected ROI: 4 yrs

Commissioned: 10/13



Pharmaceutical Facility Northern California

The dual mode system provides steam and hot water to the critical power facility and raises overall efficiency to almost 90%.

(2) C1000 | DM* 1MW Electricity

Projected ROI: 3.6 yrs

Commissioned: 7/15



Offshore Oil Producer California Coast

The associated gas-fueled microturbines provide power to site loads and lowers operating costs for the end user.

(I) C1000S (I) C600S 1.6MW Electricity

Projected ROI: 2.8 yrs

Commissioned: 12/16



Onshore Oil Producer California

Associated gas is piped directly to the system and provides heat to be used in the processing of free water knockout (FWKO) during drilling.

(1) C1000 1MW Electricity

Projected ROI: 2.5 yrs

Commissioned: 4/13



Gas Utility Southern California

Two C1000 microturbines provide prime power for the key gas compression facility that provides significant natural gas to Southern California.

> (2) C1000 | PP* 2MW Electricity

Projected ROI: 2 yrs

Commissioned: 8/13

^{*}PP- Prime Power

^{*}DM - Dual Mode System (Emergency backup power feature)

Examples of New England Area Installations





Energy Efficiency Healthcare



Energy Efficiency Technology



Critical Power Microgrid



Critical Power **Data Center**



Critical Power Utility Power/Microgrid



Renewable Energy **Dairy Plant**



Hospital Massachusetts

The C1000 system

provides heat and power

to the Boston-based

hospital 24/7/365. The

system will soon approach

40,000 run-time hours.



Software Company Natick, Massachusetts

Four C65 systems power

and cool the new

headquarters/data center at this computer software

company. System is under

FPP through 2023.

(4) C65

260kW Electricity

100-Ton Absorption Chiller



Utility Software Bloomington, Minnesota

A C600S system forms the

backbone of the microgrid

at their new headquarters

and data center.



Data Center Southfield, Michigan

Two C1000 power packages

provide power and backup

capacity to the growing

data center.

(2) C1000 | PP*

2MW Electricity

Projected ROI: 3 yrs



Island Power Off the Coast of Maine



Four liquid-fueled microturbines are the primary power source for the remote island. The technology was funded by the U.S. Government.

> (4) C65260kW Electricity

(10) C65650kW Electricity

Franklin, Massachusetts

Ten combined heat and

power (CHP) microturbines utilize digester gas from

dairy processing as fuel and

captures the hot water in

order to heat the digester.

(1) C1000 1MW Electricity

Commissioned: 2011

Commissioned: 2014

(I) C600S 600kW Electricity 200-Ton Absorption Chiller

Commissioned: 2017

Commissioned: 2016

Commissioned: 2016

Commissioned: 2014

^{*}PP - Prime Power

Examples of Mid-Atlantic Area Installations





Energy Efficiency Hospitality



Energy Efficiency Manufacturing



Energy Efficiency Manufacturing



Oil & Gas Onshore O&G



Oil & Gas **Onshore O&G**



Critical Power Data Center



Luxury Hotel









Philadelphia, Pennsylvania

Three C65 ICHP units in a combined heat and power (CHP) application provide 100% of the hotel's domestic hot water and 30% of their electrical needs.

> (3) C65 ICHP | GC* 195kW Electricity

Projected ROI: 3 yrs

Commissioned: 10/09

Boat Manufacturer New Gretna, New Jersey

Six microturbines produce 40% of the facility's on-site electrical energy, providing power and 100% of the heating and chilled water.

> (6) C65 ICHP | GC* 390kW Electricity (3) 30-Ton Absorption Chillers Projected ROI: 7 yrs

Commissioned: 12/12

Manufacturer Harrisburg, Pennsylvania

A dual-mode combined cooling, heat and power (CCHP) C1000 provides backup power to the facility manufacturing processes.

(1) C1000 | DM* 1MW Electricity 300-Ton Absorption Chiller | Heat Exchanger Projected ROI: 5.9 yrs

Commissioned: 1/14

Compressor Station West Virginia

The natural gas-fueled microturbine is the primary power source generating electricity 24/7. The system was the first C600S commissioned in the world.

> (1) C600S | PP* 600kW Electricity

Commissioned: 10/16

Gas Gathering Facility West Pennsylvania

Six skid mounted microturbines operate on high Btu wellhead gas. Skid system arrives fully commissioned, reducing installation and startup.

> (6) C65 | DM* 390kW Electricity

Commissioned: 4/15

Bank with Data Center Harrisburg, Pennsylvania

A C800 dual-mode system provides combined cooling, heat and power (CCHP) for the LEED gold-certified facility and data center.

(1) C800 | DM* 800kW Electricity 250-Ton Absorption Chiller | Heat Exchanger Projected ROI: 5 yrs

Commissioned: 10/13

^{*}PP- Prime Power

^{*}GC- Grid Connect

^{*}DM - Dual Mode System (Emergency backup power feature)

Examples of United Kingdom Area Installations





Renewable Energy Landfill



Energy Efficiency Public Facility



Energy Efficiency Public Facility



Energy Efficiency Hospitality



Energy Efficiency Public Facility



Energy Efficiency Public Facility



Landfill Harlech, UK



Leisure Facility Lincoln, UK



Birmingham, UK



Manchester, UK



Stadium/Sports Center Aylesbury, UK



Two highly efficient C65 units provide 70% of the stadium's on-site power and delivers up to £24,000 in annual savings.

(2) C65130 kW Electricity

65 kW Electricity

Leisure Facility

Milton Keynes, UK

A low maintenance C65

unit generates up to

370,000 kWh of electricity

and 680,000 kWh of heat

per annum for the large

multi-sport facility.

Commissioned: 4/15

A methane-powered C65 microturbine provides both heat and electricity to the landfill site.

> (1) C65 | GC* 55 kW Electricity

Commissioned: 2/17

Two C65 units in a combined heat and power (CHP) application have reduced utility costs by 10% annually and lowered emissions by 303 metric tonnes per year.

> (2) C65 | GC* 130 kW Electricity

Commissioned: 10/09

Leisure Facility

Two C65 units provide added operational protection for the leisure facility's heat and electrical demand using electricity displaced from the grid.

> (2) C65 | GC* 130 kW Electricity

Commissioned: 9/16

Hotel/Leisure Club

A C65 system installation allows for the hotel and leisure facility to benefit from immediate savings in both energy costs and carbon emissions.

> (1) C6565 kW Electricity

Commissioned: 5/16

(1) C65 | GC*

Commissioned: 11/16

Case Studies can be found on www.capstoneturbine.com/case-studies

^{*}GC - Grid Connect System

Reconciliation of Non-GAAP Financial Measure



Reconciliation of Reported Net Loss to EBITDA and Adjusted EBITDA		Three Months Ended					
	J	June 30, 2018		June 30, 2017		December 31, 2017	
Net loss, as reported	\$	(4,897)	\$	(4,092)	\$	(323)	
Interest expense		118		221		170	
Provision for income taxes		4		_		_	
Depreciation and amortization		287		304		271	
EBITDA	\$	(4,488)	\$	(3,567)	\$	118	
Stock-based compensation		227		154		102	
Restructuring charges		403		_		58	
Change in warrant valuation						84	
Adjusted EBITDA	\$	(3,858)	\$	(3,413)	\$	362	

To supplement the Company's unaudited financial data presented on a generally accepted accounting principles (GAAP) basis, management has used EBITDA and Adjusted EBITDA, non-GAAP measures. These non-GAAP measures are among the indicators management uses as a basis for evaluating the Company's financial performance as well as for forecasting future periods. Management establishes performance targets, annual budgets and makes operating decisions based in part upon these metrics. Accordingly, disclosure of these non-GAAP measures provides investors with the same information that management uses to understand the Company's economic performance year-over-year. The presentation of this additional information is not meant to be considered in isolation or as a substitute for net income or other measures prepared in accordance with GAAP.

EBITDA is defined as net income before interest, provision for income taxes, depreciation and amortization expense. Adjusted EBITDA is defined as EBITDA before stock-based compensation expense, restructuring charges, the change in warrant valuation and warrant issuance expenses. Restructuring charges includes facility consolidation costs and one-time costs related to the company's cost reduction initiatives.

EBITDA and Adjusted EBITDA are not measures of the company's liquidity or financial performance under GAAP and should not be considered as an alternative to net income or any other performance measure derived in accordance with GAAP, or as an alternative to cash flows from operating activities as a measure of its liquidity.

While management believes that the non-GAAP financial measures provide useful supplemental information to investors, there are limitations associated with the use of these measures. The measures are not prepared in accordance with GAAP and may not be directly comparable to similarly titled measures of other companies due to potential differences in the exact method of calculation. Management compensates for these limitations by relying primarily on the company's GAAP results and by using EBITDA and Adjusted EBITDA only supplementally and by reviewing the reconciliations of the non-GAAP financial measures to their most comparable GAAP financial measures.

Non-GAAP financial measures are not in accordance with, or an alternative for, generally accepted accounting principles in the United States. The Company's non-GAAP financial measures are not meant to be considered in isolation or as a substitute for comparable GAAP financial measures, and should be read only in conjunction with the Company's consolidated financial statements prepared in accordance with GAAP.





r more information on Turbine Corporation please visit www.capstoneturbine.com





twitter.com/CapstoneTurbine

Follow Capstone in



linkedin.com/company/34302/

Follow Darren Jamison, CEO



twitter.com/darren jamison

Follow Capstone



youtube.com/CapstoneTurbine