

Benefits

- Improved situational awareness
- Highest definition of multibeam data output in the world
- Real time decision making
- Increased productivity
- Maintain subsea operations in zero visibility
- Enhanced safety
- Expert 24x7 Technical Support



600m-4000m Depth Rating

The most advanced real time 3D sonar in the world.

The Echoscope^{4G} is the latest of our fourth-generation real-time 3D imaging sonar platform. The Echoscope^{4G} is lighter, smaller and uses less power than our third-generation sonar systems.

The Echoscope^{4G} is the world's highest resolution real-time 3D sonar. Built around unique patented technology, it generates a complete 3D model, composed of over 16,000 soundings, from each and every acoustic transmission. This 3D model is entirely refreshed up to 20 times per second with each new transmission.

With sounding densities far in excess of those generated by other sonars, and with the new increased 20Hz ping rate, the Echoscope^{4G} presents unrivaled clarity of dynamic operations and moving objects in video-like data format in all water conditions including zero visibility water conditions. All the Echoscope^{4G} range of sonars take advantage of patented statistical rendering techniques to further enhance the clarity of the image, presenting the user with an intuitive and easy-to-interpret image.

When monitoring underwater activities, even when the target and the Echoscope are moving independently of each other, the 3D imagery remains clear and accurate, giving the viewer an instant three-dimensional understanding of the underwater environment and object being imaged.

In mapping and inspection tasks, the ping geometry of the Echoscope^{4G} will allow a target to be visualized many times in a single pass, allowing a target to be viewed from many different angles. This allows complex subsea structures to be mapped with fewer shadows and a level of confidence and detail far beyond anything that can be achieved using alternative methods.

Whether deployed on inland waterway work or large scale offshore projects, the Echoscope^{4G} real-time 3D sonar will provide clear, high definition imagery of the underwater environment.

New Features

- Lighter/Smaller/Reduced Power/Less Power Requirements
- Increased Ping Rate Now 20Hz
- Reduced Minimum Range Now 0.5m
- Reduced range resolution to 2 cm
- Supports industry standard 100mb ethernet capability
- Programmable TVG
- Standard 100Mb Ethernet for ROV/AUV applications

Technical Specifications	
Performance (by Model)	Multi Frequency
Frequency	240kHz, 340 - 700kHz Zoom Multi F
Number of beams	128 x 128 (16,384 total)
Maximum range*	150m (492ft) at 240kHz 120m (394ft) at 375kHz 80m (262ft) at 630kHz
Minimum range*	0.5m (1.64ft)
Range resolution	3cm (1.2in)*
Update rate (ping rate)	Up to 20 Hz software selectable
Angular coverage	220kHz - 280kHz: 102°x51° - 71°x35° 340kHz - 700kHz: 55°x50° - 20°x20°
Beam spacing	220kHz - 280kHz: 0.80°x0.40° - 0.55°x0.27° 340kHz - 700kHz: 0.43°x0.43° - 0.16°x0.16°
*The actual working range will depend on the target's size, reflectivity, and the level of detail required for the application	
Physical	
Dimensions (h x w x d) (excluding connectors and handles)	414mm x 300mm x 158mm (16.3in x 11.8in x 6.2in)
Weight in Air	26.2 kg (58.7 lbs)
Power Consumption	3 - 6A at 24Vdc <i>And, up to, 10A inrush for less than 20 μs may occur on start up</i>
Depth Rating	600m (1,968ft), 3,000m (9,842ft), with 4,000m (13,123ft) option*
Interfaces	
Sonar head to PSU	Power: 24V DC Control: RS232 Serial Cable Data: 100Mb Industry Standard Ethernet Single cable for power, data, and control
*Depending on operating mode	
**Available upon request	

Echoscope^{4G} Features

- High definition 3D sonar image generated in real-time
- Mosaicking capability
- Displays complex moving structures accurately
- Accurate even in turbid water
- Accurate geo-referenced data
- Versatile DTM output options
- Very easy to use even by non sonar experts such as crane operators and law enforcement officers

Echoscope^{4G} Protective Cover Included

The Echoscope^{4G} sonar is supplied with a replaceable encapsulating cover for the sonar head, protecting the hard-anodized aluminium housing from light impact, scratching and marine fouling. The protective cover can be removed for general cleaning of the unit and removal of any marine fouling from the cover. Made from Derlin™, the cover is a lightweight, easy to install protection accessory.

Copyright© 2021 Coda Octopus
CodaOctopus®, Echoscope®, Echoscope4G®, Echoscope PIPE®, Echoscope4G PIPE, Echoscope® 6D, Echoscope® 5D, 5D Echoscope® 4G USE® Ping-Pong Echoscope® Sonar, Ping-Pong® Sonar, Ping-Pong Echoscope® are trademarks of Coda Octopus. This list is not exhaustive of all our trademarks used with our products and/or services.

The information in this publication was correct when it was published but specifications may change without notice. Photos are included for illustrative purposes only and actual items may differ in appearance. Coda Octopus does not assume responsibility for typographical or photographic errors. Issue 1.1 (07.21)

Sales Worldwide: +44 131 553 1380 Sales Americas: +1 407 735 2400

More Information: sales@codaoctopus.com salesamericas@codaoctopus.com www.codaoctopus.com
Technical Support Worldwide: +44 131 553 7003 Technical Support Americas: +1 888 340 2632