

June 16, 2026



## Rigel Announces Closing of Licensing Agreement for VEPPANU™ (vepdegestrant)

SOUTH SAN FRANCISCO, Calif., June 16, 2026 /PRNewswire/ -- Rigel Pharmaceuticals, Inc. (Nasdaq: RIGL), a commercial stage biotechnology company focused on hematologic disorders and cancer, today announced the closing of its license agreement for VEPPANU™ (vepdegestrant), following the early termination of the waiting period under the Hart-Scott Rodino Antitrust Improvements Act of 1976 and satisfaction of other customary closing conditions. Rigel previously [announced](#) it entered into an exclusive, global license agreement with Arvinas, Inc. (Arvinas) and Pfizer Inc. (Pfizer) to develop, manufacture and commercialize VEPPANU. VEPPANU is approved by the U.S. Food and Drug Administration (FDA) for the treatment of adults with estrogen receptor-positive (ER+)/human epidermal growth factor receptor 2-negative (HER2-), estrogen receptor 1 (*ESR1*)-mutated advanced or metastatic breast cancer, as detected by an FDA-authorized test, with disease progression following at least one line of endocrine therapy.



The agreement is effective as of June 11, 2026 and Rigel has made the upfront payment of \$70.0 million to be distributed evenly between Arvinas and Pfizer, consistent with the terms of the agreement.

Rigel expects to make VEPPANU commercially available in August.

**[About VEPPANU™ \(vepdegestrant\)](#)**

## INDICATION

VEPPANU is indicated for the treatment of adults with estrogen receptor (ER)–positive, human epidermal growth factor receptor 2 (HER2)–negative, *estrogen receptor–1 (ESR1)*–mutated advanced or metastatic breast cancer, as detected by an FDA-authorized test, with disease progression following at least one line of endocrine therapy.

## IMPORTANT SAFETY INFORMATION

### WARNINGS AND PRECAUTIONS

#### QTc Interval Prolongation

VEPPANU can cause QT (QTc) interval prolongation. Correct electrolyte abnormalities, including hypokalemia and hypomagnesemia, prior to and during treatment with VEPPANU. Perform an ECG prior to initiation of treatment with VEPPANU and do not initiate VEPPANU in patients with QTc >470 msec. Repeat ECG approximately 4 weeks after initiating treatment and as clinically indicated. Avoid concomitant use of VEPPANU with strong CYP3A inhibitors or drugs known to prolong the QTc interval.

#### Embryo-Fetal Toxicity

Based on findings from animal studies and its mechanism of action, VEPPANU can cause fetal harm when administered to a pregnant woman. Advise pregnant women and females of reproductive potential of the potential risk to a fetus. Advise females of reproductive potential to use effective contraception during treatment with VEPPANU and for 2 weeks after the last dose. Advise male patients with female partners of reproductive potential to use effective contraception during treatment with VEPPANU and for 2 weeks after the last dose.

### ADVERSE REACTIONS

Serious adverse reactions occurred in 9% of patients who received VEPPANU. The serious adverse reactions included any fracture (1.3%), fall, hypercalcemia, hepatic injury, pneumonia, musculoskeletal pain (0.6% each), and QTc prolonged (0.3%). Fatal adverse reactions occurred in 1.0% of patients who received VEPPANU, including dyspnea, cerebral ischemia, and unknown cause (one patient each).

Permanent discontinuation of VEPPANU due to an adverse reaction occurred in 2.9% of patients, dosage interruptions of VEPPANU due to an adverse reaction occurred in 14% of patients, and dosage reductions of VEPPANU due to an adverse reaction occurred in 1.9% of patients.

The most common ( $\geq 10\%$ ) adverse reactions, including laboratory abnormalities, were decreased white blood cells, increased AST, musculoskeletal pain, fatigue, decreased hemoglobin, decreased neutrophils, increased ALT, increased alkaline phosphatase, nausea, decreased blood potassium, increased bilirubin, decreased appetite, electrocardiogram QT prolonged, decreased platelets, and constipation.

Clinically relevant adverse reactions in <10% of patients who received VEPPANU included headache, hot flush, diarrhea, vomiting, bradycardia, and urinary tract infection.

### DRUG INTERACTIONS

- **Strong CYP3A Inhibitors:** Avoid concomitant use of VEPPANU with strong CYP3A inhibitors. If concomitant use cannot be avoided, reduce VEPPANU dosage.

- **Strong CYP3A Inducers:** Avoid concomitant use with strong CYP3A inducers in patients receiving VEPPANU. If concomitant use cannot be avoided, increase VEPPANU dosage.
- **Certain P-gp Substrates:** Avoid concomitant use with certain P-gp substrates where minimal increases in concentration may lead to serious adverse reactions.
- **Certain UGT1A9 Substrates:** Refer to the Prescribing Information for UGT1A9 substrates where minimal increases in the concentration may lead to serious adverse reactions.

Avoid concomitant use of VEPPANU with other drugs with a known potential to prolong the QTc interval.

## **LACTATION**

Advise lactating women not to breastfeed during treatment with VEPPANU and for 2 weeks after the last dose.

[Click here](#) for Important Safety Information and Full Prescribing Information.

To report side effects of prescription drugs to the FDA, visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch) or call 1-800-FDA-1088 (800-332-1088).

VEPPANU is a trademark of Rigel Pharmaceuticals, Inc.

## **About Rigel**

Rigel Pharmaceuticals, Inc. (Nasdaq: RIGL) is a biotechnology company dedicated to discovering, developing and providing novel therapies that significantly improve the lives of patients with hematologic disorders and cancer. Founded in 1996, Rigel is based in South San Francisco, California. For more information on Rigel, the Company's marketed products and pipeline of potential products, visit [www.rigel.com](http://www.rigel.com).

## **Forward-Looking Statements**

*This press release contains forward-looking statements within the meaning of the Private Securities Litigation Reform Act of 1995 ("PSLRA") relating to, among other things, the potential of VEPPANU (vepdegestrant); Rigel's expectations regarding the commercialization of VEPPANU; and the anticipated timing of commercial availability of VEPPANU. Any statements contained in this press release that are not statements of historical fact may be deemed to be forward-looking statements and as such are intended to be covered by the safe harbor for "forward-looking statements" provided by the PSLRA. Forward-looking statements can be identified by words such as "plan", "potential", "may", "anticipates", "expects", "will" and similar expressions in reference to future periods. Forward-looking statements are neither historical facts nor assurances of future performance. Instead, they are based on Rigel's current beliefs, expectations and assumptions and therefore inherently involve significant risks and uncertainties that are difficult to predict and many of which are outside of Rigel's control. Actual results and the timing of events could differ materially from those anticipated in such forward-looking statements as a result of these risks and uncertainties, which include, without limitation, risks related to the successful transfer of development, manufacturing and commercialization responsibilities to Rigel; risks associated with integrating newly acquired or licensed assets; risks related to Rigel's dependence on third parties, including Arvinas and Pfizer, for development, manufacturing and supply activities; risks related to Rigel's ability to*

*successfully launch and commercialize VEPPANU, including uncertainties related to physician adoption, patient demand, market acceptance, reimbursement and pricing; competition from other therapies; regulatory risks, including the risk that regulatory approvals may be subject to limitations or may be withdrawn; risks that clinical trial results may not be predictive of real-world results; risks that VEPPANU may have unintended side effects or adverse reactions; and risks related to Rigel's ability to successfully execute its strategic and commercial plans. There can be no assurance that VEPPANU will achieve the commercial potential anticipated by Rigel or that the license agreement will result in the expected benefits. Additional risks and uncertainties are described in the "Risk Factors" section of Rigel's Quarterly Report on Form 10-Q for the quarter ended March 31, 2026 and in other filings Rigel makes with the Securities and Exchange Commission. Any forward-looking statement made by Rigel in this press release speaks only as of the date on which it is made. Rigel undertakes no obligation to update or revise any forward-looking statements, whether as a result of new information, future developments or otherwise, except as required by law.*


**Contact for Investors & Media:**

***Investors:***

Rigel Pharmaceuticals, Inc.  
650.624.1232  
[ir@rigel.com](mailto:ir@rigel.com)

***Media:***

David Rosen  
Argot Partners  
646.461.6387  
[david.rosen@argotpartners.com](mailto:david.rosen@argotpartners.com)

 View original content to download multimedia <https://www.prnewswire.com/news-releases/rigel-announces-closing-of-licensing-agreement-for-veppanu-vepdegestrant-302802278.html>

SOURCE Rigel Pharmaceuticals, Inc.