

Corporate Deck

Disclaimer


This presentation contains "forward-looking statements," as that term is defined under the Private Securities Litigation Reform Act of 1995 (PSLRA), which statements may be identified by words such as "believe," "may," "will," "estimate," "continue," "anticipate," "intend," "expect" and other words of similar meaning. These forward-looking statements involve certain risks and uncertainties. Such risks and uncertainties could cause our actual results to differ materially from those indicated by such forward-looking statements, and include, without limitation: the success, cost and timing of our product development activities and clinical trials; our ability to submit an IND and successfully advance our technology platform to improve the safety and effectiveness of our existing TCR therapeutic candidates; the rate and degree of market acceptance of T-cell therapy generally and of our TCR therapeutic candidates; government regulation and approval, including, but not limited to, the expected regulatory approval timelines for TCR therapeutic candidates; and our ability to protect our proprietary technology and enforce our intellectual property rights; amongst others. For a further description of the risks and uncertainties that could cause our actual results to differ materially from those expressed in these forward-looking statements, as well as risks relating to our business in general, we refer you to our Quarterly Report on Form 10-Q filed with the Securities and Exchange Commission (SEC) on August 2, 2018 and our other SEC filings.

We urge you to consider these factors carefully in evaluating the forward-looking statements herein and you are cautioned not to place undue reliance on such forward-looking statements, which are qualified in their entirety by this cautionary statement. The forward-looking statements contained in this presentation speak only as of the date the statements were made and we do not undertake any obligation to update such forward-looking statements to reflect subsequent events or circumstances.

We intend that all forward-looking statements be subject to the safe-harbor provisions of the PSLRA.



Leaders in TCR T-cell therapy



Scientific leadership in TCR T-cell therapy

NY-ESO responses in two solid tumours

MAGE-A4 & MAGE-A10 no evidence of off-target toxicity

On track for response data 2H 2018

Building a fully integrated cell therapy company



Cell therapy has become mainstream

Harnessing the immune system to fight cancer



bluebirdbio



FDA approval of first CAR-T

treatment (Kymriah)

NOVARTIS

Building a leader in T-cell therapy A bit of history...

2006

Avidex acquired by Medigene

medigene innovative immunotherapie

Collaboration with NCI



2008-2011

Collaboration with U-Penn



Adaptimmune LLC is formed

2013

Complete response in synovial sarcoma with NY-ESO



2015

First IND opened on wholly owned program MAGE-A10 IPO and NASDAQ listing



Universal Cells collaboration



2017

GSK exercises option over NY-ESO and nominates PRAME as 2nd target

\$62m raised via secondary public offering \$42 raised via DRO to Matrix Capital

1999

Avidex formed on the basis of T-cell receptor technology from Oxford University



2008

Adaptimmune Ltd is created



2012

Exclusive licence with ThermoFisher for Dynabeads™ CD3/CD28 cell therapy system



2014

Collaboration with GSK on NY-ESO



\$104m raised via crossover round with US investors

2016

MDACC Alliance



Merck collaboration on NY-ESO + Keytruda combo



2018

First safety data with MAGE-A10 & MAGE-A4 / Dosing at >1 billion cells


Responses in 2nd solid tumor with NY-ESO

NY-ESO program transitioned to GSK



Engineering T-cells

T-cell receptors (TCR) vs. synthetic receptors (CAR)





Our proprietary SPEAR T-cell platform

TCR T-cell therapy for solid tumors

S Specific Peptide

Enhanced


A Affinity

Receptor




Many natural affinity TCRs do not recognize tumors

Affinity enhancement is required for optimal recognition of non mutational tumor antigens





Identifying targets and developing optimized SPEAR T-cell therapies A systematic process








NY-ESO clinical trials

Successfully transitioned to GSK on schedule

99 patients in six cancer indications





NY-ESO IND now with GSK

Adaptimmune focused on data delivery from wholly owned assets in 2018 and beyond

- GSK now holds the NY-ESO SPEAR T-cell IND
 - GSK will lead research, development, and commercialization of NY-ESO
 - Successful development and subsequent commercialization of NY-ESO will trigger additional payments for development milestones, tiered sales milestones, and mid-single to low double-digit royalties on worldwide net sales
- In 2017, GSK nominated its second target, PRAME
 - Adaptimmune is responsible for the preclinical TCR development and delivery of the IND package
 - GSK may nominate two further targets, for which Adaptimmune will develop and deliver the IND (preclinical) packages to GSK



Lessons from NY-ESO in soft-tissue sarcomas


Informing study designs across all programs

- SPEAR T-cells migrate to and infiltrate cold tumors
 - Recruiting other inflammatory cells
- Responses in two distinct solid tumors with NY-ESO
 - Synovial sarcoma and myxoid/ round cell liposarcoma (MRCLS)
 - Including patients with low NY-ESO expressing tumors
 - Reducing large tumor burdens
- SPEAR T-cell expansion correlates with response
 - Cell dose matters 1 billion+ cells required for response
 - Preconditioning matters more intense fludarabine regimen leads to higher response rate and duration
- NY-ESO SPEAR T-cells show promising benefit:risk profile
- Improved understanding of regulatory agency expectations for development / pivotal programs



SPEAR T-cells migrate to and infiltrate cold tumors

Recruiting other inflammatory cells





Responses in two distinct solid tumors with NY-ESO


Working out target expression levels and conditioning regimen

Cohort	NY-ESO-1 expression	Lymphodepletion regimen
1	High	Flu 30 mg/m²/day x 4 + Cy 1800 mg/m²/day x 2
2	Low	Flu 30 mg/m ² /day x 4 + Cy 1800 mg/m ² /day x 2
3	High	Cy 1800 mg/m²/day x 2
4	High	Flu 30 mg/m²/day x 3 + Cy 600 mg/m²/day x 3



Responses in two distinct solid tumors with NY-ESO

Synovial sarcoma: responses in all cohorts including low expressors (CTOS 2017)






Responses in two distinct solid tumors with NY-ESO

Reducing large tumor burdens (synovial sarcoma)


Baseline



Month 6



Responses in two distinct solid tumors with NY-ESO Data from ongoing MRCLS study



— Unconfirmed partial response — Stable disease

Best overall response	N=8
Confirmed CR	0
Confirmed PR	3
Unconfirmed PR	1
Stable disease	3
Progressive disease a	0
Not assessed ^b	1
Overall unconfirmed response	4

^a Three patients have progressed

^b Patient 11832 recently treated and post-infusion disease assessment is not yet available









Confirmed partial

response

Responses in two distinct solid tumors with NY-ESO Reducing large tumor burdens (MRCLS)








SPEAR T-cell expansion correlates with response

Cell dose and preconditioning regimen matter





Cell dose and preconditioning regimen matter

More intense fludarabine regimen leads to higher response rate and duration

	Cohort 1	Cohort 2	Cohort 3	Cohort 4
	Hi NY-ESO-1	Lo NY-ESO-1	Hi NY-ESO-1	Hi NY-ESO-1
	Hi Flu/Cy	Hi Flu/Cy	Cy	Mod Flu/Cy
	N=12	N=10	N=5	N=14
ORR: Confirmed, CR + PR: N (%)	6 (50)	4 (40)	1 (20)	4 (29)
Best overall response: N (%) CR PR SD PD Not assessed	1 (8)	0 (0)	0 (0)	0 (0)
	5 (42)	4 (40)	1 (20)	4 (29)
	6 (50)	4 (40)	4 (80)	9 (64)
	0 (0)	1 (10)	0 (0)	2 (5)
	0 (0)	1 (10)	0 (0)	1 (2)
Median Duration of Response (DoR): weeks (range)	30.9	8.5	32.0	16.63
	(13.6, 72.1)	(9.9, 12.9)	(32.0, 32.0)	(9.0, 27.0)



Safety with SPEAR T-cells

Data from 111 patients treated with MAGE-A4, MAGE-A10, AFP and NY-ESO

CRS Grade 3 or above* (no grade 5)


Studies	Subjects Treated	Grade ≥3 CRS	
All	111	7 (6.3%)	
Wholly owned	15	1 (6.7%)	
NY-ESO	96	6 (6.3%)	

- Most adverse events are consistent with those typically experienced by cancer patients undergoing cytotoxic chemotherapy or other cancer immunotherapies
- Tolerability in patients treated has been acceptable, to date, and will allow for continued dose escalation
- SPEAR T-cells continue to show a promising benefit:risk profile for the patient populations in our trials





Our proprietary pipeline



Modified study designs Based on lessons learned from NY-ESO

NY-ESO data	MAGE-A10 impact	MAGE A4-impact		
Responses in 2 solid tumors	None – Not expressed in sarcomas	Synovial sarcoma and MRCLS added		
More intense fludarabine preconditioning leads to better and more durable responses	Cohort 3 and expansion cohorts will utilize more intense fludarabine preconditioning			
Higher cell doses appear to be more effective	Upper range for expansion cohorts extended to 10 billion SPEAR T-cells			



Current study designs

Modified 3 + 3 design with dose escalation

		Overview of Cohorts				
Target	Indication	Cohort	Pre-conditioning	# pts per protocol (# dosed)	Target dose	Per protocol range
MAGE-A10	NSCLC	1A 2 3 Expansion	[Cy (600 mg/m²/d)] x 3d [Cy (600 mg/m²/d) + Flu (30 mg/m²/d)] X 3d [Cy (600 mg/m²/d)] x 3d + [Flu (30 mg/m²/d) X 4d] [Cy (600 mg/m²/d)] x 3d + [Flu (30 mg/m²/d) X 4d]	3-6 (5) 3-6 (3) 3-6 (in progress) Up to 10	100M 1B 5B 5B	0.6 to 120M 0.6 to 1.2B 1.2 to 6.2B 1.2 to 10B
	"Triple Tumor" Urothelial Melanoma Head & Neck	1 2 3 Expansion	[Cy (600 mg/m²/d) + Flu (30 mg/m²/d)] X 3d [Cy (600 mg/m²/d) + Flu (30 mg/m²/d)] X 3d [Cy (600 mg/m²/d)] x 3d + [Flu (30 mg/m²/d) X 4d] [Cy (600 mg/m²/d)] x 3d + [Flu (30 mg/m²/d) X 4d]	3-6 (3) 3-6 (0) 3-6 (in progress) Up to 10	100M 1B 5B 5B	0.6 to 120M 0.6 to 1.2B 1.2 to 6.2B 1.2 to 10B
MAGE-A4	"Basket Study" Urothelial Melanoma Head & Neck Ovarian NSCLC Esophageal Gastric Synovial sarcoma MRCLS	1 2 3 Expansion	[Cy (600 mg/m²/d) + Flu (30 mg/m²/d)] X 3d [Cy (600 mg/m²/d) + Flu (30 mg/m²/d)] X 3d [Cy (600 mg/m²/d)] x 3d + [Flu (30 mg/m²/d) X 4d] [Cy (600 mg/m²/d)] x 3d + [Flu (30 mg/m²/d) X 4d]	3-6 (3) 3-6 (3) 3-6 (in progress) up to 30	100M 1B 5B 5B	0.6 to 120M 0.6 to 1.2B 1.2 to 6.2B 1.2 to 10B
AFP	Hepatocellular	1 2 3	[Cy (500 mg/m²/d) + Flu (20 mg/m²/d)] X 3d [Cy (500 mg/m²/d) + Flu (20 mg/m²/d)] X 3d [Cy (500 mg/m²/d) + Flu (20 mg/m²/d)] X 3d	3-6 (in progress) 3-6 up to 6	100M 1B 5B	0.6 to 120M 0.6 to 1.2B 1.2 to 10B



Progress with MAGE-A10, MAGE-A4, and AFP studies

Response data from our wholly owned pipeline in 2H 2018

	Target dose (range)	MAGE-A10 (n)		MAGE-A4 (n)	AFP (n)
		Lung	Triple tumor	Multiple tumors	HCC (liver)
Cohort 1	100 million (0.6-120m)	✓ (n=5)	(n=3)	(n=3)	In progress
Cohort 2	1 billion (0.6-1.2B)	√ (n=3)		(n=3)	
Cohort 3	5 billion (1.2-6.2B)	In progress	In progress	In progress	
Expansion	5 billion (1.2-10B)				

- What we know so far from Cohort 1 of MAGE-A10 and MAGE-A4
 - 100 million SPEAR T-cells is sub-therapeutic
 - Sub-optimal expansion
 - Sub-optimal persistence
 - No responses (as expected)
 - > Similar pattern observed in synovial sarcoma patients who received <1B cells



2018 is a critical year to deliver clinical data from our proprietary pipeline Our pipeline in multiple solid tumors

Q2 2018

MAGE-A4
Safety review for dose escalation ✓

Beyond 2018

Pivotal trials
New candidates
Next generation trials
Universal Cells collaboration
Manufacturing expansion

Q1 2018

MAGE-A10
Triple tumor safety review and move to next dose ✓

MAGE-A10
NSCLC safety review and move to next dose ✓

H₂ 2018

MAGE-A10 dose escalation to 5 billion cells in both studies ✓

On-track for:

MAGE-A10 response data MAGE-A4 response data AFP safety data



Presentations during second half of 2018 with NY-ESO

- International Immuno-therapy Conference (CRI) (30 Sep to 3 Oct NYC)
 - NY-ESO posters presented:
 - Comparison of pre-treatment conditioning on efficacy in two cohorts of a pilot study of genetically engineered NY-ESO-1c259T cells in patients with synovial sarcoma
 - Autologous T-cells transduced with the affinity enhanced NY-ESO-1c259TCR in patients with synovial sarcoma expressing low levels of the NY-ESO-1 antigen.



- SITC (7-11 November Washington DC)
 - NY-ESO abstracts accepted:
 - Preliminary clinical data from a pilot study of NY-ESO-1c259T-cells in advanced myxoid/round cell liposarcoma
 - Characterization of systemic and local immunity following adoptive transfer of NY-ESO-1 SPEAR Tcells in synovial sarcoma (NCT01343043)





Presentations during second half of 2018: MAGE-A4 and MAGE-A10

Two posters to be presented at ESMO (20 Oct; Munich, Germany)

MAGE-A4:

- "Initial Safety Assessment of MAGE-A4 SPEAR T-cells" (Poster #1156P)
- Abstract published online on 09 Oct
- Poster display session (ID 259): Immunotherapy of cancer
- Saturday, October 20 12:30-13:30 CEST



MAGE-A10:


- Safety & Anti-Tumor Effects of MAGE-A10^{c796} TCR T-cells in Two Clinical Trials (Poster # LBA38)
- Late breaking abstract not available until presentation at ESMO
- Discussion session Immuno 1
- Saturday, October 20; 16:45-17:45
- 09 Oct "curtain raiser" press release when MAGE-A4 abstract published by ESMO
- 20 Oct full data release after both posters presented at ESMO
 - Data are evolving and preliminary
 - Posters will be provided on request





Strong momentum towards our ambition


Becoming a fully integrated cell therapy company





Adaptimmune today

Our facilities and employees






Stevenage (8 FTEs)
In-house GMP Vector
Development & Production



Milton Park (244 FTEs)
Corporate Functions (HQ)

Corporate Functions (HQ)
Research (Pipeline, 2nd Gen,
Universal SPEAR-T
Translational Science)
Process Development

Global technology network: partnering with industry leaders Building the future of T-cell therapy through world-class expertise





Adaptimmune SPEAR T-cell studies at leading clinical centers Building the future of T-cell therapy through world-class expertise


































Making Cancer History*































Strong balance sheet: Runway to late 2020 Enables delivery of data from MAGE-A10, MAGE-A4, and AFP



\$129 million

LIQUIDITY*

Does not include:

- Funds receivable from GSK as a result of NY-ESO transition in July 2018 of ~\$27.5M
- Net proceeds of September 2018 Registered Direct Offering of \$100M




Through late 2020

FUNDS current business operations



Leaders in TCR T-cell therapy



Scientific leadership in TCR T-cell therapy

NY-ESO responses in two solid tumours


MAGE-A4 & MAGE-A10 no evidence of off-target toxicity

On track for response data 2H 2018

Building a fully integrated cell therapy company







Corporate Deck

Overview of GSK collaboration financials

- Adaptimmune will receive \$27.5 million from NY-ESO IND transition
 - NY-ESO will also provide development milestones up to \$500 million
- PRAME will provide development milestones up to \$300 million
- GSK also has potential to nominate 2 additional targets
 - Adaptimmune could receive up to \$325 million in development milestones for each of those 2 additional programs
 - Adaptimmune would also receive tiered-sales milestones and mid-single to low-double-digit royalties on worldwide net sales of each product
- GSK can also nominate two HLA programs per nominated target, and can nominate a 5th target if they take a Gen 2 program forward



Original study designs

Modified 3 + 3 designs with 100 million cell safety cohorts

Target	Indication	Design	Preconditioning	Sample size and dose		
				Cohort	# of pts	Dose
MAGE-A10	NSCLC	Modified 3+3 Dose escalation	Modified Cy/Flu* Cy (600mg/m²/d) Flu (30mg/m²/3d) for 3 days	1A*, 1B 2 3	3-6 each 3-6 up to 10 up to 37 total	100M 1B 5B***
	"Triple Tumor" Urothelial Melanoma Head & Neck	Modified 3+3 Dose escalation	Modified Cy/Flu Cy (600mg/m²/d) Flu (30mg/m²/d) for 3 days	1 2 3	3-6 3-6 up to 10 up to 22 total	100M 1B 5B***
MAGE-A4	"Basket Study" Urothelial Melanoma Head & Neck Ovarian NSCLC Esophageal Gastric	Modified 3+3 Dose escalation	Modified Cy/Flu Cy (600mg/m²/d) Flu (30mg/m²/d) for 3 days	1 2 3	3-6 3-6 <u>up to 20</u> <i>up to 32 total</i>	100M 1B 5B***
AFP	Hepatocellular	Modified 3+3 Dose escalation	Reduced Cy/Flu** Cy (500mg/m²/d) Flu (20mg/m²/d) for 3 days	1A**, 1B 2 3	3-6 each 3-6 up to 12 up to 30 total	100M 1B 5B***

