### **EpiSwitch® CiRT** Response Test Requisition Form (UK)

To order, submit the completed requisition and patient consent forms by fax to 01865 504691, or by Egress encrypted email to  $\underline{CiRT.test@myOBDX.com}$ , or upload at  $\underline{www.obdx.co/upload}$ . For any questions, please email <u>CiRT.test@myOBDX.com</u> or call 01865 504932.

For Lab Use Order#

For Lab Use Kit Barcode ID#

TESTING MAY BE DELAYED IF REQUIRED FIELDS ARE NOT PROVIDED

Patient Information									
									Gender: (options
				<u> </u>	,	Day	Month	Year	_ F M
First Name	MI	Last Name		NHS Number	# (optional)	DOB			
Address			City	Po	ostal Code	Country		Primary P	hone
Patient Diagnosis & Histo	ry								
Diagnosis									
Additional Case information (optic	anal)								
Additional Case Information (optic	Jilui)								
Treating Physician Inform	ation				Please	provide bes	st contact i	information f	for case follow-up
Facility or Practice Name			Tr	reating Physician (fu	ull legal name)			GMC Registration Number	
Facility/Practice Address			City	Po	ostal Code	Country		Phone	
Oxford BioDynamics Account # (o	ptional)		Email (optional)	Email (optional)			Fax		
Additional Physician to be Copied	(optional)		Egoility Namo (ont		Email (option			Egy (optic	
Additional Physician to be Copied	(optional)		Facility Name (opt	.ioriai)	Email (option	nui)		Fax (option	onar)
Test Menu and Specimen	Collecti	ion							
Test	Descrip	otion			Accep	pted Specim	nen Type	Minimum	Volume Required
EpiSwitch CiRT Response Test	Predictiv	ve test that identifi	es a cancer patient's likely	response to an Imi	mune Whole	blood, EDTA T	ube	3 mL	
	Checkpo	oint Inhibitor (Bloc	kade) Therapy.						
Intended Use and Technic	cal Infor	mation							
ntended Use: Checkpoint inhibitor F			d test that evaluates DNA c	onformational struc	tures in the immune	e cells to asses	s the likeliho	od of response	to immune checkpoi
nhibitor (ICI) therapy targeting PD-lupplemental information to cance	L1 (Atezolizu	umab, Avelumab, D	ouralumab) and PD-1 (Pem	brolizumab). The re	sults are not specifi	ic to ICI agent	or to type of	tumor. The test	
piSwitch CiRT Response Test is a	laboratory	developed test (L	DT). It has not been reviev	wed or cleared by th	he US Food and Dr	ug Administra	tion. The lab	oratory is certi	
aboratory Improvement Amendm his test, rather, on the independen	nt medical j	judgment of the tr	eating physician taking int						
ests, in accordance with the stand	ard of care	e in each healthca	re setting.						
Billing Information									
Name (the contact for billing or in	surance co	over)		Email				Phone	
name (and contact of billing of in-	5414110000	,,,,		Ellian					
Address				City			stal Code	Country	
				2,		. 0	u. 5000	Soundy	
Test Authorization and Ph	ıysician	Signature							
The undersigned certifies that he/s	he is license	ed to order the test(s	s) listed above and that such	test(s) are medically	y necessary for the c	are/treatment	of this patient		
Tracting Physician Circumstance			Drinted Name of 111	logal passa)			Day		Year
Treating Physician Signature			Printed Name (full I	egarname)			Dat	E	

# EpiSwitch® CiRT is the only test

that predicts how a patient will respond to immune checkpoint inhibitor (ICI) therapies



### **Order the CiRT test**

The Checkpoint inhibitor Response Test (CiRT) can only be ordered by a physician using the CiRT Requisition Form

• Download the Requisition Form at https://myCiRT.co/order-test



# **Complete the Requisition Form**

Work with your physician to complete the **Requisition and Patient Consent forms** 

- Your physician will submit the completed forms by: fax to 01865 504691,
  Egress encrypted email to <u>CiRT.test@myOBDX.com</u>, or upload to <u>www.obdx.co/upload</u>
- For any questions, please email CiRT.test@myOBDX.com or call 01865 504932



# Provide a small blood sample

- CiRT Customer Service will send you or your physician a Specimen Submission Kit to ship your blood sample
- Coordinate with your provider to schedule a blood draw



## **Receive your CiRT test result**

Within 5 days of receiving the sample, your Checkpoint inhibitor Response Report will be sent to your physician

 Navigate the toughest challenges of immunotherapy by knowing your likelihood of response to ICI therapy

Questions? Email CiRT Customer Service at CiRT.test@myOBDX.com





### EpiSwitch® Patient Consent Form (UK)

#### **Service ordered:**

#### EpiSwitch® CiRT (Checkpoint inhibitor Response Test)

Predicts your likely response to Immune Checkpoint Inhibitor (ICI) cancer therapy

#### EpiSwitch® PSE (EpiSwitch Prostate Screening Test)

Predicts a patient's current risk of prostate cancer from blood

#### Patient Information and Declaration of Consent to Processing of Personal Data

Your physician has recommended analysing your blood to perform the EpiSwitch test marked above ("Service").

The Service is provided by Oxford BioDynamics ("OBD") in conjunction with a 3rd-party laboratory as set out below:

- The Service is offered in your country by OBD, who acts as the data controller, responsible for the processing of any personal data received from you in the context of providing the Service. OBD handles the central coordination and quality of the Service provision in your country and is also responsible for providing customer support.
- To provide the Service, OBD collaborates with a 3rd-party laboratory ("Partner Lab") in the US. Your sample may be sent to the Partner Lab to perform the laboratory services for this test. If so, your personal data will remain in the UK and will not be sent to or stored by the Partner Lab.

This Patient Information and Declaration of Consent ("Patient Consent Form") informs you about the processing of your personal data by your physician and OBD and serves as the basis for obtaining and documenting your consent to the processing of your personal data.

#### Section 1 – Consent to the Processing of your Personal Data for Providing the Service

Your consent to the processing of your personal data pursuant to Section 1 is required to provide the Service. To give your consent, please provide your signature at the end of this form.

#### A. Assignment of Sample ID by OBD (Pseudonymisation Process)

OBD will review your physician's order and upon receipt of your sample assign a pseudonymised identifier ("Sample ID") to your case. OBD will make that Sample ID available to the Partner Lab, if they are required to provide the Service. The Sample ID is a unique central identifier of your case that does not reveal your identity but allows the Partner Lab to exchange test results with OBD in pseudonymised form. Under no circumstances will the Partner Lab receive any information to attribute the Sample ID to your person.

#### **B. Laboratory Analysis and Report Creation**

To start the provision of the Service, your physician will complete a test requisition form and provide it to OBD. The form must include the following ("TRF Data"): patient information (e.g., name, date of birth, gender, contact information), physician contact information, and billing information. In addition, the physician may provide a unique identification number (such as a National Health Service number) which may be required by your physician to directly identify you and may also provide details of your case history (your diagnosis).

If the Partner Lab performs the services for the test, they will not receive your TRF Data from either OBD or from your physician. The TRF Data will be stored by OBD on systems and applications operated in the UK. As necessary to provide the Service, OBD may engage technical service providers located in the UK and the US for the hosting and operation of its databases, portals, and applications.

OBD will process TRF Data only for the purpose of providing the Service and not for research and scientific purposes.

If the Partner Lab processes the test, the Medical Director ("Partner Doctor") in the US will be granted view-only access to your report to verify and release the final report to OBD, as required for compliance with regulatory requirements. The report will then be transferred to your physician. Other than as necessary to provide the Service, the Partner Lab will not further analyse or process your sample. The 3D-genomic data obtained during the analysis by the Partner Lab will not contain any directly personal identifiable data. For the avoidance of doubt, OBD does not perform genetic sequencing on your DNA/RNA.

For more details about the roles of OBD, the Partner Lab and Partner Doctor in the context of your Service, please contact your physician or OBD at the contact details set out in Section 2.

Pseudonymised data may be transmitted to the Partner Lab in the US, and thus to another country, the laws of which may not provide for the same level of data protection as considered adequate in the UK. This triggers certain risks, including that it may be more difficult to enforce your data protection rights as a data subject and that your pseudonymised personal data may be subject to access requests under applicable US law by public authorities who may have more extensive powers than the authorities in the UK. To ensure that your data are adequately protected as required by UK data protection laws, OBD and the Partner Lab have implemented supplementary measures, including a privacy by design concept that ensures that only data necessary for the processing of the Service will be transferred to the Partner Lab.

#### C. Central Coordination of Services, Quality of Service Provision and Customer Service by OBD

OBD will manage access to TRF Data and will also track the status of the provision of the Service based on the Sample ID. OBD's processing is for the purpose of central coordination of the Service, ensuring the quality of the Service provision, and handling of customer service requests. To the extent necessary for these purposes, OBD receives the relevant information from the physician (TRF Data) and Partner Lab (test results and information about the status of Service). OBD will ensure by implementing appropriate technical and organisational measures that the Partner Doctor will be granted view-only access to your report to verify and release the final report to OBD.

#### D. Term of Storage and Deletion

OBD will store and retain your data in accordance with the following processes. The TRF Data and report will be archived by OBD for a maximum of 6 years from the date of the release of the report to your physician ("Completion of the Service") and discarded thereafter. Samples will be discarded by the laboratory once no longer required for the Service and at the latest upon Completion of the Service.

-- continued on reverse



#### Section 2 - General Data Protection Information

The following general data protection information applies to all data processing activities described in Section 1.

#### A. Contact Details

The Data Protection Officer of OBD is your point of contact regarding any questions, suggestions or complaints concerning the processing of your personal data. All requests or complaints must be in writing, addressed to the Data Protection Officer at OBD:

E-mail: <a href="mailto:privacy@oxfordbiodynamics.com">privacy@oxfordbiodynamics.com</a> Fax: 01865 504691

Mail: 3140 Rowan Place, John Smith Drive, Oxford Business Park, Oxford, OX4 2WB

#### **B. Security**

OBD takes appropriate technical and organisational measures to protect your personal data against accidental or unlawful destruction, loss, alteration, unauthorised disclosure of, or access to, personal data transmitted, stored or otherwise processed.

#### C. Your Rights

You have the right, in accordance with applicable data protection law:

- to request information about the data processed about you, and to obtain a copy of such data (right of access);
- to obtain the rectification of inaccurate data or, taking into account the purposes of the processing, request the completion of incomplete data (right to rectification);
- to obtain the erasure of personal data to the extent one of the grounds provided for by statutory law applies (right to be forgotten);
- to the extent the statutory requirements are fulfilled, to obtain the restriction of processing of your data (right to restriction of processing);
- to the extent the statutory requirements are fulfilled, to receive any personal data you provided to OBD in a structured, commonly used and machine-readable format and to transmit those data to another controller or, where technically feasible, have the data transmitted (right to data portability); and
- not to be subject to an automated individual decision making if the statutory requirements are not fulfilled. Automated individual decision-making is not taking place.

You further have the right to object, on grounds relating to your particular situation and in accordance with applicable law, to any processing of your personal data (right to object). You further have the right to withdraw your consent at any time without affecting the lawfulness of processing based on consent before its withdrawal.

To exercise your rights, please contact your physician. You may also contact OBD through the contact details in Section 2. You further have the right to lodge a complaint with a data protection authority competent for your place of habitual residence or place of the alleged infringement.

#### Section 3 - Patient Information and Declaration of Consent to the Processing of Personal Data

**IMPORTANT:** Please provide your consent on two original copies of this document and return one to your physician; the other copy is for your record. Please do not return a copy of this document to OBD.

Consent to Processing of my Personal Data in accordance with Section 1 – I hereby consent to the processing of my personal data, including my health data, as specified in Section 1 for the purpose of providing the requested Service (as indicated at the top of this form), including transfer of my personal data to OBD and potential for visibility to a Partner Doctor in the US. I am aware that I am not obliged to provide this consent, however if my consent is not granted, Service cannot be provided. I may withdraw this consent at any time by contacting my physician or OBD as set out in Section 2. If I withdraw my consent, the Service will be deemed to be terminated and will be stopped at its then current stage.

Patient's signature:	Patient's name (PRINT):	Date (DD-MMM-YYYY)

### Patient Agreement of Financial Responsibility

Send by fax to 01865 504691, or by Egress encrypted email to <u>CiRT.test@myOBDX.com</u>, or by uploading them at <u>www.obdx.co/upload</u>. For any questions, please email <u>CiRT.test@myOBDX.com</u> or call 01865 504932

NANCIAL AGREEMENT
he <b>EpiSwitch® CiRT</b> service is a new molecular profiling lab test. By signing this form, I acknowledge that my
loctor and I have agreed to proceed with testing. A billing representative from Oxford BioDynamics will be
ontacting me to obtain payment information. Furthermore, I understand that my responsibility for these
ervices is provided below and that I may be required to make full payment in advance of testing as
ayment toward the total charges:
EpiSwitch® <b>CiRT</b>
21,800

BILLING INFORM	IATION				
Indicate if you	have confirme	d that your heal	th insurer will b	e covering the test	
Self-pay	Bupa	Aviva	AXA	Other insurer	
	(D)				
Patient Name (	Please Write Cl	ieariy)			Best Phone Number to Call
Signature of Po	atient / Legal R	epresentative	Date		

If signed by legal representative, describe relationship to the patient and authority to act on behalf of the patient