

FDA Provides Further Regulatory Guidance to Acurx Pharmaceuticals for the Ibezapolstat Clinical Development Program, Including the Potential for a Single-Phase 3-Trial Registration Plan and a Trial Design to Support Both Treatment and Reduction of Recurrence of *C. difficile* Infection

- Acurx has received FDA guidance in meeting minutes from a July 13, 2026 Type C Meeting to discuss ibezapolstat's (IBZ) Phase 3 clinical program, including the potential to submit an NDA (New Drug Application) based on a single Phase 3 trial and a clinical trial design intended to support indications for both treatment and reduction of recurrence of *Clostridioides difficile* infection (CDI)
- FDA stated that it is open to further discussion on the totality of evidence from the clinical development program at a pre-NDA meeting after completion of a single Phase 3 trial and any other clinical trials conducted prior to the pre-NDA meeting, particularly if the clinical efficacy results are robust
- Additionally, the Agency agreed that a successful clinical outcome from a single IBZ-ASPIRE Phase 3 trial, supported by the open-label IBZ-PATHFINDER Phase 2 trial in multiply-recurrent CDI (rCDI) will allow NDA filing for both the acute treatment and the reduction of recurrence of CDI
- Trial start-up activities for the IBZ-PATHFINDER ground-breaking clinical trial in patients with rCDI have been initiated with patient enrollment to begin in the next few months
- Acurx is well positioned to commence its international Ph3 IBZ-ASPIRE trial, subject to funding availability
- Acurx has previously been granted FDA QIDP and Fast-Track Designation and has received SME (Small and Medium-sized Enterprise) designation by the EMA

STATEN ISLAND, N.Y., Aug. 3, 2026 /PRNewswire/ -- Acurx Pharmaceuticals, Inc. (NASDAQ:ACXP) a clinical stage biopharmaceutical company developing a new class of antibiotics for difficult-to-treat bacterial infections, today announced the successful outcome of a Type C Meeting conducted with FDA on July 13, 2026 to discuss ibezapolstat's Phase 3 clinical program and scope of its planned NDA. The Agency stated that it is open to further discussion at a Pre-NDA Meeting regarding the possibility of submitting an NDA with only a single Phase 3 trial, depending on the totality of the clinical data plus any other supportive data that Acurx may generate by that milestone. The Agency noted that determination of acceptability of one Phase 3 clinical trial for an NDA is made on a case-by-case basis, taking

into consideration such factors as the magnitude, consistency, and overall robustness of the efficacy results; generalizability of the results to the US population; relevance of the results to US patient care and clinical practice guidelines; Phase 2 data; and an adequate safety database. The Agency acknowledged Acurx's planned clinical trial in recurrent CDI (rCDI) and noted the data from this rCDI trial, if successful, will support an NDA submission. If the IBZ-ASPIRE trial does not meet these criteria, then a second trial consistent with the agreement reached at the end of Phase 2 (EOP2) meeting on April 27, 2024, is recommended.

The currently planned IBZ-ASPIRE trial is of non-inferiority design with the primary efficacy analysis in the Modified Intent-To-Treat (mITT) population. This will result in approximately 550 subjects in the mITT population, randomized in a 1:1 ratio to either ibezapolstat or standard-of-care vancomycin. The Agency also agreed with the overall trial design and evaluation criteria and further agreed that the trial testing criteria, if successful, could support indications for both the acute treatment and the reduction of recurrence of CDI. In the event non-inferiority of ibezapolstat to vancomycin for Clinical Cure of CDI is demonstrated, further analyses will be conducted to test for superiority for reduction of recurrence and for clinical cure of CDI.

Robert J. DeLuccia, Executive Chairman of Acurx, stated: "We are very pleased with the guidance and support received from FDA for continued development of ibezapolstat toward a potential NDA." He further stated: "We're confident that if we successfully meet the IBZ-ASPIRE trial endpoints, approval for both treatment and reduction of recurrence is possible based on a single Phase 3 trial. The results from IBZ-PATHFINDER will be important data to support the indication for reduction of recurrence."

Acurx previously announced that it is conducting a new clinical trial (IBZ-PATHFINDER) in patients with multiply recurrent *C. difficile* Infection (rCDI) while its program in the broader CDI patient population is ready to advance to Phase 3 international clinical trials (IBZ-ASPIRE), subject to receiving appropriate funding. This new IBZ-PATHFINDER clinical trial in rCDI involves an open-label pilot trial to gain experience with IBZ in patients with multiply-recurrent CDI with at least 3 episodes of CDI within the past 12 months.

About the Ibezapolstat Phase 2 Clinical Trial

The completed multicenter, open-label single-arm segment (Phase 2a) study was followed by a double-blind, randomized, active-controlled, non-inferiority, segment (Phase 2b) at 28 US clinical trial sites which together comprise the Phase 2 clinical trial. (see <https://clinicaltrials.gov/ct2/show/NCT04247542>). This Phase 2 clinical trial was designed to evaluate the clinical efficacy of ibezapolstat in the treatment of CDI including pharmacokinetics and microbiome changes from baseline and continue to test for anti-recurrence microbiome properties seen in the Phase 2a trial, including the treatment-related changes in alpha diversity and bacterial abundance and effects on bile acid metabolism. (Data published in Lancet, August 2025 [https://www.thelancet.com/journals/lanmic/article/PIIS2666-5247\(25\)00054-0/fulltext](https://www.thelancet.com/journals/lanmic/article/PIIS2666-5247(25)00054-0/fulltext)).

About Ibezapolstat

Ibezapolstat is the Company's lead antibiotic candidate planning to advance to international Phase 3 clinical trials to treat patients with *C. difficile* infection. Ibezapolstat is a novel, orally administered antibiotic, being developed as a Gram-Positive Selective Spectrum (GPSS®) antibacterial. It is the first of a new class of DNA polymerase III C inhibitors under development by Acurx to treat bacterial infections. Ibezapolstat's unique spectrum of activity, which includes *C. difficile* but spares other Firmicutes and the important Actinobacteria phyla, appears to contribute to the maintenance of a healthy gut microbiome.

In June 2018, ibezapolstat was designated by the U.S. Food and Drug Administration (FDA) as a Qualified Infectious Disease Product (QIDP) for the treatment of patients with CDI and will be eligible to benefit from the incentives for the development of new antibiotics established under the Generating New Antibiotic Incentives Now (GAIN) Act. In 2019, FDA granted "Fast Track" designation to ibezapolstat for the treatment of patients with CDI. The CDC has designated *C. difficile* as an urgent threat highlighting the need for new antibiotics to treat CDI.

About *Clostridioides difficile* Infection (CDI) and Recurrent CDI (rCDI)

According to the 2017 Update (published February 2018) of the Clinical Practice Guidelines for *C. difficile* Infection by the Infectious Diseases Society of America (IDSA) and Society of Healthcare Epidemiology of America (SHEA), CDI remains a significant medical problem in hospitals, in long-term care facilities and in the community. *C. difficile* is one of the most common causes of health care-associated infections in U.S. hospitals (Lessa, 2015, NEJM). Recent estimates suggest *C. difficile* approaches 500,000 infections annually in the U.S. and is associated with approximately 30,000 deaths annually. (Guh, 2020, NEJM. Based on internal estimates, the recurrence rate for the antibiotics currently used to treat CDI is between 20% and 40% among approximately 150,000 patients treated. We believe the annual incidence of CDI in the U.S. approaches 600,000 infections and a mortality rate of approximately 9.3%.

In recent studies, rCDI ranges from 4% to 19.5% following treatment with fidaxomicin and 17 to 27% following treatment with vancomycin. In patients with multiple prior episodes of CDI, rCDI following treatment with vancomycin is even more problematic, with an incidence of up to 40%. Consequently, the principal unmet medical need in this disease is the prevention of recurrence. The estimated annual public health cost burden in the U.S. annually is ~\$5 billion annually with ~\$2.8 billion due to recurrent CDI.

About the Microbiome in *C. difficile* Infection (CDI) and Bile Acid Metabolism

C. difficile can be a normal component of the healthy gut microbiome, but when the microbiome is thrown out of balance, the *C. difficile* can thrive and cause an infection. After colonization with *C. difficile*, the organism produces and releases the main virulence factors, the two large clostridial toxins A (TcdA) and B (TcdB). (Kachrimanidou, Microorganisms 2020, 8, 200; doi:10.3390/microorganisms8020200.) TcdA and TcdB are exotoxins that bind to human intestinal epithelial cells and are responsible for inflammation, fluid and mucous secretion, as well as damage to the intestinal mucosa.

Bile acids perform many functional roles in the GI tract, with one of the most important being

maintenance of a healthy microbiome by inhibiting *C. difficile* growth. Primary bile acids, which are secreted by the liver into the intestines, promote germination of *C. difficile* spores and thereby increase the risk of recurrent CDI after successful treatment of an initial episode. On the other hand, secondary bile acids, which are produced by normal gut microbiota through metabolism of primary bile acids, do not induce *C. difficile* sporulation and therefore protect against recurrent disease. Since ibezapolstat treatment leads to minimal disruption of the gut microbiome, bacterial production of secondary bile acids continues which may contribute to an anti-recurrence effect. Beneficial effects of bile acids include a decrease in primary bile acids and an increase in secondary bile acids in patients with CDI, which was observed in the Company's Ph2a trial results and previously reported (CID, 2022). In the Ph2b trial, ibezapolstat-treated patients showed lower concentrations of fecal primary bile acids, and higher beneficial ratio of secondary to primary bile acids than vancomycin-treated patients.

About Acurx Pharmaceuticals, Inc.

Acurx Pharmaceuticals is a late-stage biopharmaceutical company focused on developing a new class of small molecule antibiotics for difficult-to-treat bacterial infections. The Company's approach is to develop antibiotic candidates with a Gram-positive selective spectrum (GPSS®) that blocks the active site of the Gram-positive specific bacterial enzyme DNA polymerase III α (pol III α), inhibiting DNA replication and leading to Gram-positive bacterial cell death. Its R&D pipeline includes antibiotic product candidates that target Gram-positive bacteria, including *Clostridioides difficile*, methicillin-resistant *Staphylococcus aureus* (MRSA), vancomycin resistant Enterococcus (VRE), drug-resistant *Streptococcus pneumoniae* (DRSP) and *B. anthracis* (anthrax; a Bioterrorism Category A Threat-Level pathogen). Acurx's lead product candidate, ibezapolstat, for the treatment of *C. difficile* Infection is preparing to advance into international Phase 3 trials.

Additionally, the Company has initiated start-up activities for a ground-breaking clinical trial in patients with rCDI with the first patient expected to enroll in the fourth quarter this year. This trial is a 20-patient, open-label pilot trial in patients with multiply-recurrent CDI with at least 3 episodes of CDI in the past year and will inform elements of a planned active-controlled, Phase 3 registration trial in the rCDI. Upon subsequent successful completion of a Ph3 pivotal rCDI trial, and per the operative FDA procedure, Acurx plans to request FDA approval for treatment and prevention of rCDI under the FDA's Limited Population Pathway for Antibacterial and Antifungal Drugs (Guidance for Industry, 2020). Successful trial outcome has the potential to shift the paradigm of treatment and prevention of rCDI from two agents to one.

The Company's preclinical pipeline includes development of an oral product candidate for treatment of ABSSSI (Acute Bacterial Skin and Skin Structure Infections), upon which a development program for post-exposure prophylaxis of inhalation anthrax is being planned in parallel.

Learn more about Acurx Pharmaceuticals and its product pipeline, please visit www.acurxpharma.com

Forward-Looking Statements

Any statements in this press release about our future expectations, plans and

prospects, including statements regarding our strategy, future operations, prospects, plans and objectives, and other statements containing the words "believes," "anticipates," "plans," "expects," and similar expressions, constitute forward-looking statements within the meaning of The Private Securities Litigation Reform Act of 1995. Actual results may differ materially from those indicated by such forward-looking statements as a result of various important factors, including: whether ibezapolstat will benefit from the QIDP designation; whether ibezapolstat will advance through the clinical trial process on a timely basis; whether the results of the clinical trials of ibezapolstat will warrant the submission of applications for marketing approval, and if so, whether ibezapolstat will receive approval from the FDA or equivalent foreign regulatory agencies where approval is sought; whether, if ibezapolstat obtains approval, it will be successfully distributed and marketed; and other risks and uncertainties described in the Company's quarterly report on Form 10-Q for the quarter ended March 31, 2026, as filed with the Securities and Exchange Commission on May 12, 2026, and in the Company's subsequent filings with the Securities and Exchange Commission. Such forward-looking statements speak only as of the date of this press release, and Acurx disclaims any intent or obligation to update these forward-looking statements to reflect events or circumstances after the date of such statements, except as may be required by law.

Investor Contact:

Acurx Pharmaceuticals, Inc.

David P. Luci, President & CEO

Tel: 917-533-1469

Email: davidluci@acurxpharma.com

View original content: <https://www.prnewswire.com/news-releases/fda-provides-further-regulatory-guidance-to-acurx-pharmaceuticals-for-the-ibezapolstat-clinical-development-program-including-the-potential-for-a-single-phase-3-trial-registration-plan-and-a-trial-design-to-support-both-treatment-302840633.html>

SOURCE Acurx Pharmaceuticals, Inc.