



# CLEARPOINT®

## **Laser Ablation:**

Rennert, R, Carroll K, Ali M, Hamelin T, Chang L, Lemkuil B, Chen C. Safety of stereotactic laser ablations performed as treatment of glioblastomas in a conventional magnetic resonance imaging suite. *Neurosurg Focus*. 2016 Oct. Vol. 41 (4):E7, 2016. doi: 10.3171/2016.8FOCUS16217.

Torcuator RG, Hulou MM, Chavakula V, Jolesz FA, Golby AJ. Intraoperative Real-Time MRI Guided Stereotactic Biopsy Followed by Laser Thermal Ablation for Progressive Brain Metastases after Radiosurgery, *J Clin Neurosci*. 2016 February; 24: 68–73. doi:10.1016/j.jocn.2015.09.008.

Gross RE, Willie JT, Drane DL. The Role of Stereotactic Laser Amygdalohippocampotomy in Mesial Temporal Lobe Epilepsy. *Neurosurg Clin N Am*. 2016 Jan;27(1):37-50. doi: 10.1016/j.nec.2015.08.004. Epub 2015 Oct 24. Review.

McCracken DJ, Willie JT, Fernald BA, Saindane AM, Drane DL, Barrow DL, Gross RE. Magnetic Resonance Thermometry-Guided Stereotactic Laser Ablation of Cavernous Malformations in Drug-Resistant Epilepsy: Imaging and Clinical Results. *Neurosurgery*. 2015 Sep 25. [Epub ahead of print]

Gross RE, Willie JT. Response to Journal Club: Real-time Magnetic Resonance-Guided Stereotactic Laser Amygdalohippocampotomy for Mesial Temporal Lobe Epilepsy. *Neurosurgery*. 2015 Sep;77(3):E502-4. doi: 10.1227/NEU.0000000000000876.

Drane DL, Loring DW, et al. Better object recognition and naming outcome with MRI-guided stereotactic laser amygdalohippocampotomy for temporal lobe epilepsy. *Epilepsia*. 2015 Jan; 56(1):101-13. doi: 10.1111/epi.12860.

Willie JT, Tung JK, Gross RE. Chapter 16, MRI-Guided Stereotactic Laser Ablation, In: A. Golby (Ed): *Image-Guided Neurosurgery*, 2015, Pages 375–403

Willie JT, Gross RE, et al. Real-Time Magnetic Resonance-Guided Stereotactic Laser Amygdalohippocampotomy for Mesial Temporal Lobe Epilepsy. *Neurosurgery*. 2014 Jun;74(6):569-84; discussion 584-5. doi: 10.1227/NEU.0000000000000343

## **Electrode Placement:**

Sidiropoulos C, Rammo R, Merker B, Mahajan A, LeWitt P, Kaminski P, Womble M, Zec A, Taylor D, Wall J, Schwalb JM. Intraoperative MRI for deep brain stimulation lead placement in Parkinson's disease: 1 year motor and neuropsychological outcomes. *J Neurol*. 2016 Jun;263(6):1226-31. doi: 10.1007/s00415-016-8125-0. Epub 2016 Apr 28.

Southwell DG, Narvid JA, Martin AJ, Qasim SE, Starr PA, Larson PS. Comparison of Deep Brain Stimulation Lead Targeting Accuracy and Procedure Duration between 1.5- and 3-Tesla Interventional Magnetic Resonance Imaging Systems: An Initial 12-Month Experience. *Stereotact Funct Neurosurg*. 2016;94(2):102-7. doi: 10.1159/000443407. Epub 2016 Apr 20.

Sidiropoulos C, et al. Intraoperative MRI for deep brain stimulation lead placement in Parkinson's disease: 1 year motor and neuropsychological outcomes. *J Neurol*. 2016 Apr 28. [Epub ahead of print]

Martin AJ, Larson PS, et al., Deep brain stimulator implantation in a diagnostic MRI suite: Infection History over a 10-year period, *Journal of Neurosurgery* DOI: 10.3171/2015.7.JNS15750. Epub 2016 March 25.



# CLEARPOINT®

Ostrem JL, Ziman N, Galifianakis N, Starr PA et al., Clinical outcomes using ClearPoint interventional MRI for deep brain stimulation lead placement in Parkinson's Disease, *J Neurosurg.*, October 23, 2015; DOI: 10.3171/2015.4.JNS15173

Sidiropoulos C, Mubita L, Krstevska S, Schwalb JM. Successful Vim targeting for mixed essential and parkinsonian tremor using intraoperative MRI. *J Neurol Sci.* 2015 Nov 15;358(1-2):488-9. doi: 10.1016/j.jns.2015.08.1553. Epub 2015 Sep 2.

Chabardes S, Isnard S, Castrioto A, Larson PA et al. Surgical implantation of STN-DBS leads using intraoperative MRI guidance: technique, accuracy, and clinical benefit at 1-year follow-up *Acta Neurochir* (2015) 157:729–737; Published online: 18 February 2015 DOI 10.1007/s00701-015-2361-4

Ivan ME, Martin AJ, Starr PA, Larson PS, et al. Brain shift during bur hole–based procedures using interventional MRI. *J Neurosurg* (2014), DOI: 10.3171/2014.3.JNS121312

Starr PA, Markun LC, Larson PS, Volz MM, Martin AJ, Ostrem JL. Interventional MRI–guided deep brain stimulation in pediatric dystonia: first experience with the ClearPoint system. *J Neurosurg: Pediatrics* (2014), doi: 10.3171/2014.6.PEDS13605

Paul Larson and Others, Interventional MRI-Guided DBS A Practical Atlas; This book is available for download with iBooks on your Mac or iOS device.

Vega RA, Holloway KL, Larson PS. Image-Guided Deep Brain Stimulation. *Neurosurg Clin N Am* 25 (2014) 159–172, <http://dx.doi.org/10.1016/j.nec.2013.08.008>

Sillay KA, Rusy D, Buyan-Dent L, Ninman N, Vigen KK, Wide-bore 1.5T MRI-Guided Deep Brain Stimulation Surgery: Initial experience and technique comparison, *Clinical Neurology and Neurosurgery* (2014), <http://dx.doi.org/10.1016/j.clineuro.2014.09.01>

Larson PS, et al. Application Accuracy of a Second Generation Interventional MRI Stereotactic Platform: Initial Experience in 101 DBS Electrode Implantations. *Neurosurgery.* 2013 Aug; 60 Suppl 1:187. doi: 10.1227/01.neu.0000432793.68257.ab

Ostrem J, Galifianakis N, Markun L, Grace J, Martin A, Starr P, Larson P. Clinical outcomes of PD patients having bilateral STN DBS using high-field interventional MR-imaging for lead placement. *Clin Neurol Neurosurg.* 2013 June ; 115(6): 708–712. doi:10.1016/j.clineuro.2012.08.019.

Larson PS, Starr PA, Bates G, Tansey L, Richardson RM, Martin AJ. An optimized system for interventional magnetic resonance imaging-guided stereotactic surgery: preliminary evaluation of targeting accuracy. *Neurosurgery.* 2012 Mar; 70 (1 Suppl Operative): 95-103; discussion 103. doi: 10.1227/NEU.0b013e31822f4a91. PMID: 21796000

## **Biopsy**

Torcuator R, Hulou M, Chavakula V, Jolesz F, Golby A. Intraoperative Real-Time MRI Guided Stereotactic Biopsy Followed by Laser Thermal Ablation for Progressive Brain Metastases after Radiosurgery. *J Clin Neurosci.* 2016 February; 24: 68-73. doi: 10.1016/j.jocn.2015.09.008.

Mohyeldin A, Lonser RR, and Elder JB, Real-time magnetic resonance imaging–guided frameless stereotactic brain biopsy: technical note, *J. Neurosurg*, October 23, 2015; DOI: 10.3171/2015.5.JNS1589.



# CLEARPOINT®

## Drug Delivery

Jahangiri A, Chin AT, Flanigan PM, Chen R, Bankiewicz K, Aghi MK. Convection-enhanced delivery in glioblastoma: a review of preclinical and clinical studies. *J Neurosurg*. 2016 Apr 1:1-10. [Epub ahead of print]

Han SJ, Bankiewicz K, Butowski NA, Larson PS, Aghi MK. Interventional MRI-guided catheter placement and real time drug delivery to the central nervous system. *Expert Rev Neurother*. 2016 Jun;16(6):635-9. doi: 10.1080/14737175.2016.1175939. Epub 2016 Apr 20.

Rowland NC, Kalia SK, Kalia LV, Larson PS, Lim DA, Bankiewicz KS. Merging DBS with viral vector or stem cell implantation: "hybrid" stereotactic surgery as an evolution in the surgical treatment of Parkinson's disease. *Mol Ther Methods Clin Dev*. 2016 Jan 13;3:15051. doi: 10.1038/mtm.2015.51. eCollection 2016. Review.

Chittiboina P., Heiss, JD, Lonser, RR. Accuracy of direct magnetic resonance imaging-guided placement of drug infusion cannulae. *J Neurosurg*. vol. 122:1173–1179, May 2015. Published online January 16, 2015; DOI: 10.3171/2014.11.JNS131888.

Silvestrini MT, Yin D, Martin AJ, Coppes VG, Mann P, Larson PS, Starr PA, et al. Interventional Magnetic Resonance Imaging guided Cell Transplantation Into the Brain With Radially Branched Deployment., *Molecular Therapy* vol. 23 no. 1, 119–129 Jan. 2015

Richardson M, Kells A, Martin A, Larson P, Starr P, et al. Novel Platform for MRI-Guided Convection-Enhanced Delivery of Therapeutics: Preclinical Validation in Nonhuman Primate Brain. *Stereotact Funct Neurosurg*. 2011 June; 89(3): 141–151. Published online 2011 April 14. doi: 10.1159/000323544. PMID: PMC3085040

Richardson RM, Kells AP, Rosenbluth KH, Salegio EA, Fiandaca MS, Larson PS, Starr PA, Martin AJ, Lonser RR, Federoff HJ, Forsayeth JR, Bankiewicz KS. Interventional MRI-guided putaminal delivery of AAV2-GDNF for a planned clinical trial in Parkinson's disease. *Mol Ther*. 2011 Jun;19(6):1048-57. doi: 10.1038/mt.2011.11. Epub 2011 Feb 22. PMID: 21343917

**MRI Interventions ClearPoint Indications for Use (K142505):** *The ClearPoint® System is intended to provide stereotactic guidance for the placement and operation of instruments or devices during planning and operation of neurological procedures within the MRI environment and in conjunction with MR imaging. The ClearPoint® System is intended as an integral part of procedures that have traditionally used stereotactic methodology. These procedures include biopsies, catheter and electrode insertion. The System is intended for use only with 1.5 and 3.0 Tesla MRI scanners.*

---

---

---

---

---

---

---

---

---

---